
dynaudioacoustics

MS15





Subwoofer for small to medium sized studios

The MS15 is a high powered subwoofer for use in small to medium-sized film and television post-production studios.

It's suitable for immersive monitoring including Dolby Atmos HE 7.1.4 and 9.1.4.

The enclosure housing the single 15-inch driver can be configured for many different deployments – such as ceiling mounting for low-frequency support in Atmos arrays, or low profile to fit in confined spaces.

MS15	
Application	Film and television post-production
Type	Subwoofer
Frequency response	30Hz – >500Hz
Maximum SPL at 1 metre	128dB
Sensitivity	96dB/2.83v/1m
Impedance	8 Ohms
Driver	380mm fibre loaded cone
Recommended amplifier power	500-3000 watts
Cabinet dimensions (H x W x D)	774 x 500 x 550mm
Weight	50kg
Finish	Black textured paint
Amplifier recommendation	
Dynaudio Acoustics	DCA800 or DA40
Options	
Custom cabinet sizes	On request

dynaudioacoustics MS15

All systems are made to order.
Price and delivery on application.

Learn more, read our reviews and find your nearest Dynaudio dealer
at [dynaudio.com](https://www.dynaudio.com) and [facebook.com/dynaudioprofessional](https://www.facebook.com/dynaudioprofessional)

Dynaudio A/S

8660 Skanderborg, Denmark

Product sheet, MS15. Item no. 45538240

All text and image copyrights reserved.

Subject to change without notice.